

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S85	12	S80 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:45
S84	25143815	S81 or S82 or S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:44
S83	212259	@ptad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:44
S82	24750120	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:43
S81	1174144	@riad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:43
S80	63	(hybrid adj2 (wireless or mobile) adj2 network or ((second or different or other or another) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and encrypt\$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:42
S79	1	((hybrid adj2 mobile adj2 network or ((second or different or other or another) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:01

S78	4	(hybrid adj2 mobile adj2 network or ((second or different or other or another) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 13:59
S77	1	((hybrid adj2 wireless adj2 network or ((second or different or other or another) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 19:16
S76	4	(hybrid adj2 wireless adj2 network or ((second or different or other or another) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 19:15
S75	1	((hybrid adj2 wireless adj2 network or ((second or different) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 19:14
S74	4	(hybrid adj2 wireless adj2 network or ((second or different) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 15:15
S73	24750120	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 15:13

S72	212259	@ptad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 15:13
S71	1174144	@rlad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 15:13
S70	4	(hybrid adj2 wireless adj2 network or ((second or different) adj2 (network or system))) and (encipher\$3 or authenticat\$3) and signature adj2 response and random adj2 (seed or value or number) and cipher\$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 15:13
S69	2	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 13:14
S68	4	(hybrid adj2 wireless adj2 network or ((second or different) adj2 (network or system))) and authenticat\$3 and signature adj2 response and random adj2 (seed or value or number) and cipher \$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 13:14
S67	25143815	S64 or S65 or S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:50
S66	24750120	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:50
S65	212259	@ptad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:50
S64	1174144	@rlad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:50
S63	24750120	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:48

\$62	4	(hybrid adj2 wireless adj2 network or ((second or different) adj2 (network or system))) and authenticat\$3 and signature adj2 response and random adj2 (seed or value or number) and cipher \$3 adj2 (key or seed or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 12:48
\$61	3	\$54 and \$59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:54
\$60	1	\$58 and \$59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:51
\$59	22396674	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:51
\$58	6	\$54 and \$57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:51
\$57	695	previous adj3 authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:51
\$56	1	\$54 and \$55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:50
\$55	23219	(stored or pass\$2 or old) adj2 parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:50
\$54	22	request\$3 near\$5 handshake near4 challenge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 21:49
\$53	3	\$49 and \$52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:41
\$52	797547	random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:41

S51	0	\$49 and \$50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:40
S50	22044	cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:40
S49	10	\$47 and \$48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:40
S48	22396674	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:40
S47	23	(authentica\$3 or authoriz\$3) same (second or different or another or other) adj2 (protocol or technology) and (cross\$4 or hybrid) adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:39
S46	9	(authentica\$3 or authoriz\$3) same (second or different or another or other) adj2 (protocol or technology) and hybrid adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:39
S45	1247	(authentica\$3 or authoriz\$3) same (second or different or another or other) adj2 (protocol or technology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 19:38
S44	13	\$39 and \$43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:07
S43	107	hybrid adj2 wireless adj2 network and authentica\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:07
S42	0	\$39 and \$41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:07
S41	15	hybrid adj2 wireless adj2 network same authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:07

S40	0	S38 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:06
S39	22396674	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:06
S38	8	hybrid adj2 wireless adj2 network with authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:06
S37	280	hybrid adj2 wireless adj2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:06
S36	5842	hybrid adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:05
S35	3	signature adj2 response with random adj2 (number or value) with cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:38
S34	1	(check\$3 or verif\$3 or compar \$3) near3 signature adj3 response with rand with cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:55
S33	2	(check\$3 or verif\$3 or compar \$3) near3 signature adj2 response with random with cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:55
S29	1	(check\$3 or verif\$3 or compar \$3) near3 signature adj2 response near8 (imin or international adj mobile adj identity) with random with cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:33
S32	1	signature adj2 response near8 (msn or min or imin or international adj mobile adj identity) same random same cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:32
S31	1	signature adj2 response near8 (min or imin or international adj mobile adj identity) same random same cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:32

S30	1	(check\$3 or verif\$3 or compar\$3) near3 signature adj2 response near8 (imin or international adj mobile adj identity) same random same cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:30
S28	0	compar\$3 near3 signature adj2 response near5 imin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:23
S27	2	"6091715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:18
S26	2	"6351635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:14
S25	1	S7 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:14
S24	14	S20 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:09
S23	148399	authentica\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:09
S22	0	S15 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:08
S21	26	(cross\$4 or intercross\$2) adj2 wireless adj2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:08
S20	45	(cross\$4 or intercross\$2) adj3 wireless adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:08
S11	280	hybrid adj2 wireless adj2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 19:07
S19	5	S7 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:51

S18	9	signature adj2 response and random adj2 (number or value) and cipher\$3 and challenge adj2 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:51
S15	105	signature adj2 response and random adj2 (number or value) and cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:50
S17	1	S11 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:48
S16	0	S12 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:48
S6	3	signature adj2 response with random adj2 (number or value) with cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:48
S14	1	S7 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:46
S13	14	hybrid adj2 wireless adj2 network and (second or another or different) adj2 technology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:46
S12	69	S7 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:45
S10	0	S9 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:45
S1	277	hybrid adj2 wireless adj2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:45
S9	8	hybrid adj wireless adj network and first adj2 technolog\$2 and second adj2 technolog\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:44
S8	49	hybrid adj wireless adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:44

S7	22396672	@ad<"20020415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 18:10
S5	1	signature adj2 response and random adj2 value and cipher \$3 adj2 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 19:51
S4	48	signature adj2 response and random adj2 value and cipher \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 19:51
S2	16	signature same random adj2 value same cipher\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 19:51
S3	1	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 19:50

8/13/08 7:49:13 PM

C:\Documents and Settings\HNguyen25\My Documents\EA5T\Workspaces\10511863.wsp